



NOGA

You'll taste the difference

Product Catalogue **2020**

Our MISSION

Our Mission is to provide “Value for Products” and establish trustworthy long term relations with Clients and Suppliers. As well as delivering superior quality products we are offering technical services to our customers in both Residential & Industrial Sections of Water Treatment fields.

Our VISION

Our vision is to always develop and produce reliable, high quality products at an affordable price.

Our QUALITIES

CONTINUOUS R & D INVESTMENT
HIGHLY QUALIFIED WORKFORCE
COMMITMENT TO CONSUMERS
TRUSTWORTHY BRANDS

NOGA

Water Care
Worldwide links



Our **ADVANTAGES**

EUROPEAN MANUFACTURING

EUROPEAN QUALITY CONTROL STANDARDS

EXTENSIVE RANGE OF PRODUCTS

PERMANENT STOCK IN EUROPE

FAST WORLDWIDE DISTRIBUTION

CONTENTS

FILTER HOUSING SYSTEMS 4

Filter Housings 5-6

FILTER CARTRIDGES 7

Spun & Shell Cap Filters 8-9
CTO/Carbon/Coconut/Washable Filters 10
2" Carbon/Alkaline/Ceramic Inline Filters 11
2" Mineral/Multi-Minerals Inline Filters 12
Omnipure 13
2.5" Quick Inline Filters 14-16

REVERSE OSMOSIS 17-18

Crystal : Reverse Osmosis Systems 19
Go Water : Reverse Osmosis Systems 20
Compact : Reverse Osmosis Systems 21
Aquamarine : Reverse Osmosis Systems 22
Spectrum : Reverse Osmosis Systems 23

5 STAGE SYSTEMS 24

ECO : 5 Stage R.O. Systems 24-26
ECO : Quick Fit R.O. Systems 27-28



INDUSTRIAL SYSTEMS 29

HF Series: Under-the-Sink Systems 31-32
R.O. Industrial Systems 33
Cabinet Softening Systems 34

WATER DISPENSERS & COOLERS 35

4 Stage : Digital Hot & Cold Mini Bar Counter Top 37
5 Stage : Digital Hot & Cold Bar 37-38



R.O. MEMBRANES 39

R.O. Membrane Housings 41
R.O. Membranes 42

SPARE PARTS & ACCESSORIES 43

Brackets 45
Hangers & Manometer 46
Flowlimit 47
Valves & Pressure Switches 48
Hoses & Water Leakage 49
Connectors and Valves 50
Pressure Regulators 51
Clamps & Tapes 52
Tanks 55-56
Pumps & Adaptors 57-58
Faucets 59-60
Fittings and Connectors 61-70

NOGA Water Care

Filter Housings



Filter Housings



CODE	DESCRIPTION
NWC-5-FK-51-12-Y	10" Filter Housing - 1/4" Matt
NWC-5-FK-51-13-Y	10" Filter Housing - 1/4" Transparent



CODE	DESCRIPTION
NWC-5-FK-51-12-TW	10" Filter Housing - 1/4" Matt
NWC-5-FK-51-13-TW	10" Filter Housing - 1/4" Transparent


SPRING TOP



CODE	DESCRIPTION
NWC-5-FK-51-12-CN	10" Filter Housing - 1/4" Matt
NWC-5-FK-51-13-CN	10" Filter Housing - 1/4" Transparent



CODE	DESCRIPTION
NWC-5-90-008	R.O. Filter Cap Key



Filter Housings

ATLAS SERIES 10"


CODE	DESCRIPTION
NWC-5-5-61-30	10" Filter Housing - 1/2" Transparent
NWC-5-5-61-40	10" Filter Housing - 3/4" Transparent
NWC-5-5-61-50	10" Filter Housing - 1" Transparent
NWC-5-5-61-43	10" Double Filter Housing - 3/4" Transparent
NWC-5-5-61-53	10" Double Filter Housing - 1" Transparent

* Filter Cap Key, Bracket & Mounting Screw Case are included in the box



SERIES 20"

CODE	DESCRIPTION
NWC-5-5-52-22	20" Filter Housing - TRO 3/8" Matt
NWC-5-5-52-23	20" Filter Housing - TRO 3/8" Transparent



BIG BLUE - FH

CODE	DESCRIPTION
NWC-5-5-51-56	10" BB Filter Housing - 1" (TW)
NWC-5-5-52-56	20" BB Filter Housing - 1" (TW)



WASHING MACHINE - ANTI SCALE

CODE	DESCRIPTION
NWC-6-001	Anti-Scale (FULL of anti- lime)
NWC-6-001-1	Anti-Scale (FREE of anti- lime)
NWC-8-MIN-G412	Siliphos - Microphos Crystals (Scale - inhibitor)



Filter Cartridges



caring about your family



Polypropylene Filter Cartridges



STANDARD SPUN FILTERS

CODE	DESCRIPTION
NWC-6-2-05-05	5" Spun Filter 5 mic
NWC-6-2-10-01	10" Spun Filter 1 mic
NWC-6-2-10-05	10" Spun Filter 5 mic
NWC-6-2-10-10	10" Spun Filter 10 mic
NWC-6-2-10-20	10" Spun Filter 20 mic
NWC-6-2-10-25	10" Spun Filter 25 mic
NWC-6-2-20-01	20" Spun Filter 1 mic
NWC-6-2-20-05	20" Spun Filter 5 mic
NWC-6-2-20-10	20" Spun Filter 10 mic
NWC-6-2-20-20	20" Spun Filter 20 mic
NWC-6-2-20-25	20" Spun Filter 25 mic

COVERED SPUN FILTERS



CODE	DESCRIPTION
NWC-6-2-10-05-EK110	10" Covered Spun Filter 110 gr
NWC-6-2-10-05-EK135	10" Covered Spun Filter 135 gr
NWC-6-2-10-05-EK170	10" Covered Spun Filter 170 gr

BIG BLUE SPUN FILTERS



CODE	DESCRIPTION
NWC-6-2-10-BB-05	10" Big Blue Spun Filter 5 mic
NWC-6-2-10-BB-10	10" Big Blue Spun Filter 10 mic
NWC-6-2-20-BB-05	20" Big Blue Spun Filter 5 mic
NWC-6-2-20-BB-10	20" Big Blue Spun Filter 10 mic
NWC-6-2-20-BB-20	20" Big Blue Spun Filter 20 mic

SHELL CAP FILTERS



CODE	DESCRIPTION
NWC-6-5-10-0	10" Shell Cap Filter Empty
NWC-6-5-10-1	10" Shell Cap Filter (Carbon) Full
NWC-6-5-10-4	10" Shell Cap Filter (Coconut) Full
NWC-6-5-10-3	10" Microphase Shell Cap Filter Full

Filter Cartridges

STANDARD CTO FILTERS

CODE	DESCRIPTION
NWC-6-3-CT05	5" CTO Block Carbon Filter
NWC-6-3-CT10-1	10" CTO Block Carbon Filter
NWC-6-3-CT10	10" CTO Block Carbon Filter
NWC-6-3-CT10-2	10" CTO Block Coconut Filter
NWC-6-3-CT20	20" CTO Block Carbon Filter
NWC-6-3-CT20-2	20" CTO Block Coconut Filter



BIG BLUE CTO FILTERS

CODE	DESCRIPTION
NWC-6-3-CT10-BB	10" Big Blue CTO Carbon Filter
NWC-6-3-CT20-BB	20" Big Blue CTO Block Carbon Filter



GAC: CARBON / COCONUT FILTERS

CODE	DESCRIPTION
NWC-6-3-GAC10	10" GAC Carbon Filter
NWC-6-3-GAC10-2	110" GAC Coconut based Filter
NWC-6-3-GAC20	20" GAC Carbon Filter
NWC-6-3-GAC20-2	20" GAC Coconut based Filter



BIG BLUE GAC CARBON FILTERS

CODE	DESCRIPTION
NWC-6-3-GAC10-BB	10" GAC Big Blue Carbon Filter
NWC-6-3-GAC20-BB	20" GAC Big Blue Carbon Filter



WASHABLE FILTERS

CODE	DESCRIPTION
NWC-6-4-YF10	10" Washable Plastic Filter
NWC-6-4-YF20	20" Washable Plastic Filter



2" Inline Filter Cartridges



* FOR VISUAL REFERENCE ONLY

2" POST CARBON INLINE FILTERS - GEAR (SD)

CODE	DESCRIPTION
NWC-6-20-SD05-E	2" Post Carbon Filter
NWC-6-20-SD05	2" Premium Post Carbon Filter
NWC-6-20-SD05-MPH	2" Mineral Post Carbon Filter



* FOR VISUAL REFERENCE ONLY

2" POST CARBON INLINE FILTERS - BLOCKED (SQ)

CODE	DESCRIPTION
NWC-6-20-SQ05-E	2" Post Carbon Filter
NWC-6-20-SQ05	2" Premium Post Carbon Filter
NWC-6-20-SQ05-MPH	2" Mineral Post Carbon Filter



2" POST CARBON INLINE FILTERS - JACO

CODE	DESCRIPTION
NWC-6-20-HSC-10	2" Post Carbon Filter
NWC-6-20-HSC-01	2" Premium Post Carbon Filter
NWC-6-20-HSC-09	2" Mineral Post Carbon Filter

2" ALKALINE INLINE FILTERS - JACO

CODE	DESCRIPTION
NWC-6-20-HSC-03	2" Alkaline ECO Filter
NWC-6-20-HSC-07	2" Alkaline EXTRA Filter
NWC-6-20-HSC-12	2" Alkaline SUPER PLUS Filter



BIO CERAMIC INLINE FILTERS - JACO

CODE	DESCRIPTION
NWC-6-20-BIO	2" BIO Ceramic - Detox - accredited

2" INLINE FILTERS - JACO

CODE	DESCRIPTION
NWC-6-20-2586P	2" Sediment Filter
NWC-6-20-2586C	2" Carbon Filter
NWC-6-20-2586C-1	2" Carbon Filter (Coconut)

2" Inline Filter Cartridges

2" MINERAL INLINE FILTERS - JACO

CODE	DESCRIPTION
NWC-6-20-HSC-02	2" Mineral Filter
NWC-6-20-HSC-08	2" 4 x Minerals Filter
NWC-6-20-HSC-11	2" 7 x Minerals Filter



2" MINERAL INLINE FILTERS - GEAR (SD)

CODE	DESCRIPTION
NWC-6-20-SD MF-4	2" 4 x Minerals Filter
NWC-6-20-SD MF-6	2" 7 x Minerals Filter



* FOR VISUAL REFERENCE ONLY

2" MINERAL INLINE FILTERS - BLOCKED (SQ)

CODE	DESCRIPTION
NWC-6-20-SQ MF-4	2" 4 x Minerals Filter
NWC-6-20-SQ MF-6	2" 7 x Minerals Filter

* Also available upon request 5, 6 & 8 stages



* FOR VISUAL REFERENCE ONLY

2" MULTI-MINERAL FILTERS - GEAR

CODE	DESCRIPTION
NWC-6-20-HSC-08	2" 4 x Mineral Filter
NWC-6-20-HSC-11	2" 6 x Minerals Filter
NWC-6-20-HSC-??	2" 7 x Minerals Filter



2" MULTI-MINERALS INLINE FILTERS - GEAR (SD)

CODE	DESCRIPTION
NWC-6-20-SD MF-4	2" 4 x Minerals Filter
NWC-6-20-SD MF-6	2" 7 x Minerals Filter



* FOR VISUAL REFERENCE ONLY

2" MULTI-MINERALS INLINE FILTERS - BLOCKED (SQ)

CODE	DESCRIPTION
NWC-6-20-SQ MF-4	2" 4 Minerals Filter
NWC-6-20-SQ MF-6	2" 7 Minerals Filter



* FOR VISUAL REFERENCE ONLY



MADE IN THE USA

Omnipure Inline Filters



BB SERIES - JACO

CODE	DESCRIPTION
NWC-6-OM-BB-K2505	2" Inline Filter
NWC-6-OM-BB-K2528	2" Pre Carbon Filter
NWC-6-OM-BB-K2533	2" Post Carbon Filter
NWC-6-OM-BB-K5605	2.5" Inline Filter
NWC-6-OM-BB-K5628	2.5" Pre Carbon Filter
NWC-6-OM-BB-K5633	2.5" Post Carbon Filter



JJ SERIES - QUICK

CODE	DESCRIPTION
NWC-6-OM-JJ-K2505	2" Inline Filter
NWC-6-OM-JJ-K2528	2" Pre Carbon Filter
NWC-6-OM-JJ-K2533	2" Post Carbon Filter
NWC-6-OM-JJ-K5605	2.5" Inline Filter
NWC-6-OM-JJ-K5628	2.5" Pre Carbon Filter
NWC-6-OM-JJ-K5633	2.5" Post Carbon Filter



SS SERIES - QUICK ELBOW

CODE	DESCRIPTION
NWC-6-OM-SS-K2505	2" Inline Filter
NWC-6-OM-SS-K2528	2" Pre Carbon Filter
NWC-6-OM-SS-K2533	2" Post Carbon Filter
NWC-6-OM-SS-K5605	2.5" Inline Filter
NWC-6-OM-SS-K5628	2.5" Pre Carbon Filter
NWC-6-OM-SS-K5633	2.5" Post Carbon Filter



POST Carbon Filter

CODE	DESCRIPTION
NWC-6-CRO-T33	2" Post Carbon Filter

2.5" Quick Inline Filters

2.5" INLINE FILTERS - BLOCKED - QUICK (SQ)

CODE	DESCRIPTION
NWC-6-25-SQ-01-01	2.5" Sediment Filter 1 mic.
NWC-6-25-SQ-01-5	2.5" Sediment Filter 5 mic.
NWC-6-25-SQ-02	2.5" GAC Carbon Filter
NWC-6-25-SQ-02-C	2.5" GAC Carbon Filter (Coconut)
NWC-6-25-SQ-03	2.5" CTO Carbon Filter
NWC-6-25-SQ-05	2.5" Post Carbon Filter
NWC-6-25-SQ-06	2.5" UF Filter



* FOR VISUAL REFERENCE ONLY


2.5" INLINE FILTERS - BLOCKED - QUICK (HF)

CODE	DESCRIPTION
NWC-6-25-HF01-01	2.5" Sediment Filter 1 mic.
NWC-6-25-HF01-5	2.5" Sediment Filter 5 mic.
NWC-6-25-HF02	2.5" GAC Carbon Filter
NWC-6-25-HF03	2.5" CTO Carbon Filter
NWC-6-25-HF02-C	2.5" GAC Carbon Filter (Coconut)
NWC-6-25-HF05	2.5" Post Carbon Filter



QUICK FITTINGS KEY

CODE	DESCRIPTION
NWC-6-25-HF-FSA	Quick Fittings Key



2.5" Quick Inline Filters



2.5" FT FILTERS - QUICK

CODE	DESCRIPTION
NWC-6-25-HSC-FT84	2.5" FT Sediment Filter 1 mic.
NWC-6-25-HSC-FT82	2.5" FT Sediment Filter 5 mic.
NWC-6-25-HSC-FT92	2.5" FT CTO Carbon Filter
NWC-6-25-HSC-FT83	2.5" FT GAC Carbon Filter
NWC-6-25-HSC-FT02	2.5" FT GAC Carbon Filter (Coconut)
NWC-6-25-HSC-FT86	2.5" FT Post Carbon Filter

2.5" FT FILTER HEAD - QUICK

CODE	DESCRIPTION
NWC-6-25-FTKAFY	2.5" FT Filter Head

2.5" FT FILTERS - PREMIUM

CODE	DESCRIPTION
NWC-6-25-FT84	2.5" FT Sediment Filter 1 mic.
NWC-6-25-FT82	2.5" FT Sediment Filter 5 mic.
NWC-6-25-FT92	2.5" FT CTO Carbon Filter
NWC-6-25-FT83	2.5" FT GAC Carbon Filter
NWC-6-25-FT86	2.5" FT Post Carbon Filter

2.5" FT FILTER HEAD - QUICK

CODE	DESCRIPTION
NWC-6-25-FTKAFA	2.5" FT Filter Head



2.5" FT FILTERS - ST

CODE	DESCRIPTION
NWC-6-25-ST05	2.5" FT Sediment Filter 5 mic.
NWC-6-25-ST-CTO	2.5" FT CTO Carbon Filter
NWC-6-25-ST33	2.5" FT GAC Carbon Filter
NWC-6-25-ST33-1	2.5" FT GAC Carbon Filter (Coconut)



2.5" Quick Inline Filters

2.5" INLINE FILTERS - GEAR (SD)

CODE	DESCRIPTION
NWC-6-25-STD-01-01	2.5" Sediment Filter 1 mic.
NWC-6-25-STD-01-5	2.5" Sediment Filter 5 mic.
NWC-6-25-STD-02	2.5" GAC Carbon Filter
NWC-6-25-STD-02-C	2.5" GAC Carbon Filter (Coconut)
NWC-6-25-STD-03	2.5" CTO Carbon Filter
NWC-6-25-STD-05	2.5" Post Carbon Filter
NWC-6-25-STD-06	2.5" UV Filter



* FOR VISUAL REFERENCE ONLY

2.5" STANDARD INLINE FILTERS - JACO

CODE	DESCRIPTION
NWC-6-25-STN-P	2.5" Sediment Filter
NWC-6-25-STN-GAC	2.5" GAC Carbon Filter
NWC-6-25-STN-CTO	2.5" CTO Carbon Filter



2.5" PREMIUM INLINE FILTERS - JACO

CODE	DESCRIPTION
NWC-6-25-PR-5633-P	2.5" Sediment Filter
NWC-6-25-PR-5633-C	2.5" GAC Carbon Filter
NWC-6-25-PR-5633-CTO	2.5" CTO Carbon Filter



2.5" PREMIUM INLINE FILTERS - QUICK

CODE	DESCRIPTION
NWC-6-25-PR-5633-P	2.5" Sediment Filter
NWC-6-25-PR-5633-C	2.5" GAC Carbon Filter
NWC-6-25-PR-5633-CTO	2.5" CTO Carbon Filter





Reverse Osmosis



fresh & tasty everyday



Crystal

Reverse Osmosis Systems



STANDARD 5 Stage - No Pump **NWC-3-05-AG-HF**

ONE STAGE	2.5" Inline 5 mic. Sediment / HF Rod Filter
TWO STAGE	2.5" Inline Carbon / HF Rod Filter
THREE STAGE	2.5" Inline Carbon / HF Rod Filter
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon / HF Rod Filter
FAUCET	HFT Luxury Faucet
PUMP	High Efficiency & very quiet
TANK	Plastic 8 L - External
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 45 x 9.5 x 36 cm Box Dimension: 47 x 15 x 39 cm



OPTIONS TankPAC - PAE 8 L (2.2 G)



STANDARD 4 Stage - With Pump **NWC-3-05-AG-HF P**

ONE STAGE	2.5" Inline 5 mic. Sediment / HF Rod Filter
TWO STAGE	2.5" Inline Carbon / HF Rod Filter
THREE STAGE	75 GPD EV Membrane
FOUR STAGE	Inline Post Carbon / HF Rod Filter
FAUCET	HFT Luxury Faucet
PUMP	High Efficiency & very quiet
TANK	Plastic 8 L - External
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 45 x 9.5 x 36 cm Box Dimension: 47 x 15 x 39 cm



OPTIONS TankPAC - PAE 8 L (2.2 G)





Reverse Osmosis Systems

STANDARD 5 Stage - No Pump

NWC-3-05-AS-HF

ONE STAGE	2.5" Inline 5 mic. Sediment / HF Rod Filter
TWO STAGE	2.5" Inline Carbon / HF Rod Filter
THREE STAGE	2.5" Inline Carbon / HF Rod Filter
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
TANK	Plastic 8 L - External
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 45 x 9.5 x 36 cm Box Dimension: 47 x 15 x 39 cm

OPTIONS	TankPAC - PAE 8 L (2.2 G) Glass Front Jaco Connection
---------	---



STANDARD 4 Stage - With Pump

NWC-3-05-AS-HF P

ONE STAGE	2.5" Inline 5 mic. Sediment / HF Rod Filter
TWO STAGE	2.5" Inline Carbon / HF Rod Filter
THREE STAGE	75 GPD EV Membrane
FOUR STAGE	Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
TANK	Plastic 8 L - External
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 45 x 9.5 x 36 cm Box Dimension: 47 x 15 x 39 cm

OPTIONS	TankPAC - PAE 8 L (2.2 G) Glass Front Jaco Connection
---------	---





Reverse Osmosis Systems



STANDARD Series - No Pump NWC-3-05-STR-INC

ONE STAGE	2.5" Inline 5 mic. Sediment
TWO STAGE	2.5" Inline Carbon
THREE STAGE	2" Inline Carbon
FOUR STAGE	75 GPD HFT / EV
FIVE STAGE	Inline Post Carbon
FAUCET	Star Faucet
TANK	Tank PAC-PAE 2.2G - Internal
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 27.5 x 41.5 x 38.5 cm Box Dimension: 28.5 x 48 x 40 cm



OPTIONS	6 Stage Green Filter (Mineral + pH) Jaco Connection
---------	--



STANDARD Series - With Pump NWC-3-05-STR-INC P

ONE STAGE	2.5" Inline 5 mic. Sediment
TWO STAGE	2.5" Inline Carbon
THREE STAGE	2.5" Inline Carbon
FOUR STAGE	75 GPD HFT / EV
FIVE STAGE	Inline Post Carbon
FAUCET	Star Faucet
PUMP	High Efficiency, Quiet
TANK	Tank PAC-PAE 2.2G - Internal
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension 27.5 x 41.5 x 38.5 cm Box Dimension 27.5 x 41.5 x 38.5 cm



Reverse Osmosis Systems

STANDARD 5 Stage - No Pump NWC-3-06-SFR-HO

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" 5 mic. GAC Carbon
THREE STAGE	10" 5 mic. CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
TANK	Tank PAC - PAE 2.2G. - Internal
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 29 x 46 x 38 cm Box Dimension: 30.5 x 49 x 45 cm

OPTIONS	6 Stage Mineral Filter Transparent Cover Alkali Filter
---------	--



● ● ● ● ●
MATT
COLOUR OPTIONS

● ● ●
TRANSPARENT
COLOUR OPTIONS

LUXURY FAUCET

STANDARD 5 Stage - With Pump NWC-3-06-SFR-HO-P

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" 5 mic. GAC Carbon
THREE STAGE	10" 5 mic. CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
PUMP	High Efficiency, Quiet
TANK	Tank PAC - PAE 2.2G. - Internal
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 29 x 46 x 38 cm Box Dimension: 30.5 x 49 x 45 cm

OPTIONS	6 Stage Mineral Filter Transparent Cover Alkali Filter
---------	--



● ● ● ● ●
MATT
COLOUR OPTIONS

● ● ●
TRANSPARENT
COLOUR OPTIONS

LUXURY FAUCET





Spectrum

Reverse Osmosis Systems



MATT
COLOUR OPTIONS



TRANSPARENT
COLOUR OPTIONS

LUXURY FAUCET

STANDARD 5 Stage - No Pump

NWC-3-06-PRZ-HO

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" 5 mic. GAC Carbon
THREE STAGE	10" 5 mic. CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
TANK	Tank PAC - PAE 2.2G. - Internal
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 29 x 46 x 38 cm Box Dimension: 30.5 x 49 x 45 cm

OPTIONS	6 Stage Mineral Filter Transparent Cover Alkali Filter
---------	--



MATT
COLOUR OPTIONS



TRANSPARENT
COLOUR OPTIONS

LUXURY FAUCET

STANDARD 5 Stage - With Pump

NWC-3-06-PRZ-HO-P

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" 5 mic. GAC Carbon
THREE STAGE	10" 5 mic. CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
PUMP	High Efficiency, Quiet
TANK	Tank PAC - PAE 2.2G. - Internal
FEATURES	Quick Connection, 3/8" Receiving Line Matt Coloured Case , Shut-off valve
SIZES	Device Dimension: 29 x 46 x 38 cm Box Dimension: 30.5 x 49 x 45 cm

OPTIONS	6 Stage Mineral Filter Transparent Cover Alkali Filter
---------	--





5 Stage R.O. Systems

STANDARD SERIES 5 Stage - No Pump NC-3-04-ECO-1

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" 5 mic. GAC Carbon
THREE STAGE	10" 5 mic. CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
HOUSING	Standard
FAUCET	HTF Luxury Faucet
TANK	Tank Plastic 12 L. - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 14.5 x 35 x 40 cm Box Dimension: 34 x 41 x 57.5 cm



OPTIONS	Tank PAC - PAE 12 L. (32G)
	6 Stage Mineral Filter
	7 Stage Alkali Filter
	8 Stage BIO Ceramic Filter
	Jaco Connection



LUXURY FAUCET

STANDARD SERIES 5 Stage - With Pump NWC-3-04-ECO-1P

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" 5 mic. GAC Carbon
THREE STAGE	10" 5 mic. CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
HOUSING	Standard
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Quiet
TANK	Tank Plastic 12 L. - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 14.5 x 35 x 40 cm Box Dimension: 34 x 41 x 57.5 cm



OPTIONS	Tank PAC - PAE 12 L. (32G)
	6 Stage Mineral Filter
	7 Stage Alkali Filter
	8 Stage BIO Ceramic Filter
	Jaco Connection



LUXURY FAUCET



5 Stage R.O. Systems



PREMIUM SERIES 5 Stage - No Pump **NWC-3-04-ECO-1**

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" GAC Carbon
THREE STAGE	10" CTO Carbon
FOUR STAGE	75 GPD EV Vontron
FIVE STAGE	Premium Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
TANK	Tank PAC - PAE 3.2G - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 14.5 x 35 x 40 cm Box Dimension: 34 x 41 x 57.5 cm

NSF

NSF

OPTIONS	6 Stage Mineral Filter 7 Stage Alkali Filter 8 Stage BIO Ceramic Filter Jaco Connection
---------	--



PREMIUM SERIES 5 Stage - With Pump **NWC-3-04-ECO-1P**

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" GAC Carbon
THREE STAGE	10" CTO Carbon
FOUR STAGE	75 GPD EV Vontron
FIVE STAGE	Premium Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Quiet
TANK	Tank PAC - PAE 3.2G - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 19 x 36.5 x 45 cm Box Dimension: 34 x 41 x 57.5 cm

NSF

NSF

OPTIONS	6 Stage Mineral Filter 7 Stage Alkali Filter 8 Stage BIO Ceramic Filter Jaco Connection
---------	--

5 Stage R.O. Systems

PREMIUM SERIES 5 Stage - No Pump

NWC-3-04-ECO

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" GAC Carbon
THREE STAGE	10" CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Premium Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
TANK	Tank PAC - PAE 3.2G - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 14.5 x 35 x 40 cm Box Dimension: 34 x 41 x 57.5 cm



OPTIONS	6 Stage Mineral Filter 7 Stage Alkali Filter 8 Stage BIO Ceramic Filter Jaco Connection
---------	--

INCLUDED	Stand Bracket & Manometer (measures air pressure)
----------	---

PREMIUM SERIES 5 Stage - With Pump

NWC-3-04-ECO-P

ONE STAGE	10" 5 mic. Sediment
TWO STAGE	10" GAC Carbon
THREE STAGE	10" CTO Carbon
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Premium Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Quiet
TANK	Tank PAC - PAE 3.2G - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 19 x 36.5 x 45 cm Box Dimension: 34 x 41 x 57.5 cm



OPTIONS	6 Stage Mineral Filter 7 Stage Alkali Filter 8 Stage BIO Ceramic Filter Jaco Connection
---------	--

INCLUDED	Stand Bracket & Manometer (measures air pressure)
----------	---

Quick Fit Systems - FT



PRACTICAL FT SERIES - No Pump **NWC-3-04-ECO-FT**

ONE STAGE	2.5" 5 mic. Sediment FT Filter
TWO STAGE	2.5" GAC Carbon FT Filter
THREE STAGE	2.5" CTO Carbon FT Filter
FOUR STAGE	75 GPD HFT EV
FIVE STAGE	Inline Post Carbon Filter
FAUCET	HTF Luxury Faucet
TANK	Tank Plastic 8 L. (3.2G) - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 14 x 35 x 36 cm Box Dimension: 30 x 49 x 41 cm

OPTIONS	Tank PAC - PAE 8 L.(2.2G) - External 6 Stage Mineral Filter 7 Stage Alkali Filter
---------	---



PRACTICAL FT SERIES - With Pump **NWC-3-04-ECO-FT**

ONE STAGE	2.5" 5 mic. Sediment FT Filter
TWO STAGE	2.5" GAC Carbon FT Filter
THREE STAGE	2.5" CTO Carbon FT Filter
FOUR STAGE	75 GPD HFT EV
FIVE STAGE	Inline Post Carbon Filter
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Quiet
TANK	Tank Plastic 8 L. (3.2G) - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 19 x 36.5 x 45 cm Box Dimension: 34 x 41 x 57.5 cm

OPTIONS	Tank PAC - PAE 8 L.(2.2G) - External 6 Stage Mineral Filter 7 Stage Alkali Filter
---------	---



Quick Fit Systems - EQ

STANDARD SERIES - No Pump

NWC-3-04-ECO-EQ-5

ONE STAGE	10" 5 mic. Sediment HF Rod Filter
TWO STAGE	10" GAC Carbon HF Rod Filter
THREE STAGE	10" CTO Carbon HF Rod Filter
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
FAUCET	Star Faucet
TANK	Tank PAC - PAE 3.2G - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 28 x 17 x 36 cm Box Dimension: 33 x 22 x 38.5 cm

OPTIONS	Tank Plastic 8 L. (3.2G) - External 6 Stage Mineral Filter
---------	---



STANDARD SERIES - With Pump

NWC-3-04-ECO-EQ-5

ONE STAGE	10" 5 mic. Sediment HF Rod Filter
TWO STAGE	10" GAC Carbon HF Rod Filter
THREE STAGE	10" CTO Carbon HF Rod Filter
FOUR STAGE	75 GPD EV Membrane
FIVE STAGE	Inline Post Carbon Filter
FAUCET	Star Faucet
PUMP	High Efficiency, Quiet
TANK	Tank PAC - PAE 3.2G - External
FEATURES	Quick Connection, 3/8" Receiving Line
SIZES	Device Dimension: 28 x 17 x 36 cm Box Dimension: 33 x 22 x 38.5 cm

OPTIONS	Tank Plastic 8 L. (3.2G) - External 6 Stage Mineral Filter
---------	---



Industrial Systems



helping you, helping us



Under-the-Sink Systems - HF



STAR FAUCET

HF SERIES 12300 - With Pump NWC-3-07-HF 12300 HFT / VONTRON

ONE STAGE	10" 5 mic. Sediment Filter
TWO STAGE	10" GAC Carbon Filter
THREE STAGE	10" CTO Carbon Filter
FOUR STAGE	30" x 12" x 300 GPD
FIVE STAGE	Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Silent
FEATURES	Quick Connection, 3/8" Receiving Line Shut-off Valve, 10 Bar Manometer
SIZES	Device Dimension: 25.5 x 35 x 45 cm Box Dimension: 27 x 37 x 47 cm



EXTRAS * Solenoid Valve



STAR FAUCET

HF SERIES 12500 - With Pump NWC-3-07-HF 12500 / 12600 VONTRON

ONE STAGE	10" 5 mic. Sediment Filter
TWO STAGE	10" GAC Carbon Filter
THREE STAGE	10" CTO Carbon Filter
FOUR STAGE	30" x 12" x 300 GPD
FIVE STAGE	Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Silent
FEATURES	Quick Connection, 3/8" Receiving Line Shut-off Valve, 10 Bar Manometer
SIZES	Device Dimension: 25.5 x 35 x 45 cm Box Dimension: 27 x 37 x 47 cm



EXTRAS * Solenoid Valve



Under-the-Sink Systems - HF

300-400-500 SERIES - With Pump

NWC-3-07-HF-300

NWC-3-07-HF-400

NWC-3-07-HF-500

ONE STAGE	20" 5 mic. Sediment Filter
TWO STAGE	20" GAC Carbon NSF Filter
THREE STAGE	120" CTO Carbon Filter
FOUR STAGE	100 GPD HTF Membrane
FIVE STAGE	Premium Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
HOUSING	Premium
PUMP	High Efficiency, Silent
FEATURES	Quick Connection, 3/8" Receiving Line Shut-Off Valve
SIZES	Device Dimension: 28 x 46 x 86 cm Box Dimension: 30 x 48 x 88 cm



STAR FAUCET

OPTIONS	Vontron Membrane
EXTRAS	* Solenoid Valve

300-400-500 SERIES - With Pump

NWC-3-07-HF-600

NWC-3-07-HF-800

NWC-3-07-HF-1000

ONE STAGE	20" 5 mic. Sediment Filter
TWO STAGE	20" GAC Carbon NSF Filter
THREE STAGE	120" CTO Carbon Filter
FOUR STAGE	200 GPD CSM Membrane
FIVE STAGE	Premium Inline Post Carbon Filter
FAUCET	HFT Luxury Faucet
HOUSING	Premium
PUMP	High Efficiency, Silent
FEATURES	Quick Connection, 3/8" Receiving Line Shut-Off Valve
SIZES	Device Dimension: 28 x 46 x 86 cm Box Dimension: 30 x 48 x 88 cm



STAR FAUCET

EXTRAS	* Solenoid Valve
--------	------------------



R.O. Industrial Systems



BETA SERIES

CODE	MODEL	CONNECTION	CAPACITY
NWC-BTRO-80	BETA RO-80	80	25 x 40 l Ad.
NWC-BTRO-160	BETA RO-160	160	40 x 21 l Ad.
NWC-BTRO-250	BETA RO-250	250	40 x 40 l Ad.
NWC-BTRO-500	BETA RO-500	500	40 x 40 l Ad.
NWC-BTRO-500-1	BETA RO-500-1	500	40 x 40 l Ad.

TECHNICAL SPECIFICATIONS

- Stainless Steel Chassis
- Vontron Membrane
- HFT Membrane Cover
- High Pressure Pump
- Inlet Solenoid Valve
- Pressure Regulating Valve
- Low Pressure Prostat
- Clean Water Flowmeters
- Waste Water Flowmeters
- Manometers
- Auto Flash
- 1 micron Prefilter
- Control Panel
- System Control Lights
- PPRC and PVC Piping



OMEGA SERIES

CODE	MODEL	CONNECTION	CAPACITY
NWC-OMRO-80	OMEGA RO-80	80	25 x 40 l Ad.
NWC-OMRO-160	OMEGA RO-160	160	40 x 21 l Ad.
NWC-OMRO-250	OMEGA RO-250	250	40 x 40 l Ad.
NWC-OMRO-500	OMEGA RO-500	500	40 x 40 l Ad.
NWC-OMRO-500-1	OMEGA RO-500-1	500	40 x 40 l Ad.

TECHNICAL SPECIFICATIONS

- Stainless Steel Chassis
- Toray Membrane or equivalent
- CodeLine Membrane Cover or equivalent
- Grundfos High Pressure Pump or equivalent
- Inlet Solenoid Valve
- Pressure Regulating Valve
- Low Pressure Prostat
- System Control Lights
- Conductivity Meter
- Clean - Waste Water Meters
- Manometers
- Auto Flash
- 5 micron Pre-Filter
- Control Panel
- Antiscalant Dosing System
- High Pressure Line
- Low Pressure Line (PPRC and PVC)

Cabinet Softening Systems

CABINET SOFTENING SYSTEMS

CODE		RESIN	CAPACITY	max FLOW
NWC-O-KAB-TC10-S1	Mini *	8	48 (m ³ x°F)	1.5 m ³ / h
NWC-O-KAB-TC30-S1	Maxi *	30	150 (m ³ x°F)	1.5 m ³ / h

* Both softening systems have 1" connections



CABINET SOFTENING SYSTEMS

CODE	RESIN	L.	CAPACITY	max FLOW
NWC-O-KAB-TC08-S4	8	8	48 (m ³ x°F)	1.5 m ³ / h
NWC-O-KAB-TC08-S3	8	8	48 (m ³ x°F)	1.5 m ³ / h
NWC-O-KAB-TC20-S4	20	20	120 (m ³ x°F)	1.5 m ³ / h
NWC-O-KAB-TC25-S3	25	25	150 (m ³ x°F)	1.5 m ³ / h
NWC-O-KAB-TC30-S3	30	30	150 (m ³ x°F)	1.5 m ³ / h

* All softening systems have 1" connections



ASPEN

CABINET SOFTENING SYSTEMS

CODE		RESIN	CAPACITY	max FLOW
NWC-O-KAB-ASP-1017	Mini *	8	48 (m ³ x°F)	1.5 m ³ / h
NWC-O-KAB-ASP-1035	Maxi *	25	150 (m ³ x°F)	1.5 m ³ / h

* ASPEN softening systems have 1" connections



** Capacity: m³ x °F (Daily water consumption x °F simple calculation by multiplying water hardness).

Water Dispensers & Coolers



quench your thirst anytime



Water Dispensers & Coolers



DIGITAL HOT & COLD MINI BAR 4 STAGE 3-08-AT

VOLTAGE	220V / 50HZ
HEATING POWER	300 - 400 W
COOLING POWER	0.7 A
HOT WATER TANK CAPACITY	1.25 L.
COLD WATER TANK CAPACITY	3.6 L.
ONE STAGE	Inline Sediment Filter
TWO STAGE	Inline GAC Sediment Filter
THREE STAGE	Post Carbon Filter
FOUR STAGE	75 GPD Membrane



HF SERIES 12500 - With Pump 3-07-HF 12500 / 12600 VONTRON

ONE STAGE	10" 5 mic. Sediment Filter
TWO STAGE	10" GAC Carbon Filter
THREE STAGE	10" CTO Carbon Filter
FOUR STAGE	30" x 12" x 300 GPD
FIVE STAGE	Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Silent
FEATURES	Quick Connection, 3/8" Receiving Line Shut-off Valve, 10 Bar Manometer
SIZES	Device Dimension: 25.5 x 35 x 45 cm Box Dimension: 27 x 37 x 47 cm



EXTRAS * Solenoid Valve



Cooler "Carboy"



Cooler Adaptor

Home, Work & Leisure

HF SERIES 12300 - With Pump 3-07-HF 12300 HFT / VONTRON

ONE STAGE	10" 5 mic. Sediment Filter
TWO STAGE	10" GAC Carbon Filter
THREE STAGE	10" CTO Carbon Filter
FOUR STAGE	30" x 12" x 300 GPD
FIVE STAGE	Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Silent
FEATURES	Quick Connection, 3/8" Receiving Line Shut-off Valve, 10 Bar Manometer
SIZES	Device Dimension: 25.5 x 35 x 45 cm Box Dimension: 27 x 37 x 47 cm



EXTRAS * Solenoid Valve



HF SERIES 12500 - With Pump 3-07-HF 12500 / 12600 VONTRON

ONE STAGE	10" 5 mic. Sediment Filter
TWO STAGE	10" GAC Carbon Filter
THREE STAGE	10" CTO Carbon Filter
FOUR STAGE	30" x 12" x 300 GPD
FIVE STAGE	Inline Post Carbon Filter
HOUSING	Premium
FAUCET	HTF Luxury Faucet
PUMP	High Efficiency, Silent
FEATURES	Quick Connection, 3/8" Receiving Line Shut-off Valve, 10 Bar Manometer
SIZES	Device Dimension: 25.5 x 35 x 45 cm Box Dimension: 27 x 37 x 47 cm



EXTRAS * Solenoid Valve



Reverse Osmosis Membranes



for all your water appliances



Reverse Osmosis Membranes



R.O. MEMBRANE HOUSING - MEMBRANE CAPSULE INCLUDED

CODE	DESCRIPTION
NWC-6-25-HF04	80 GPD Membrane Capsule Included



R.O. MEMBRANE HOUSING - JACO

CODE	DESCRIPTION
NWC-3-2-EV-1812	18 X 12 Membrane Housing



R.O. MEMBRANE HOUSING - QUICK

CODE	DESCRIPTION
NWC-3-2-EV-1812-Q	18 X 12 Quick Membrane Housing



R.O. MEMBRANE HOUSING - QUICK - BLOCKED

CODE	DESCRIPTION
NWC-3-2-EV-1812-Q-C	18 X 12 Quick Membrane Housing



R.O. MEMBRANE HOUSING - QUICK

CODE	DESCRIPTION
NWC-3-2-EV-3012Q	30 X 12 Quick Membrane Housing

Reverse Osmosis Membranes

HFT - MEMBRANES

CODE	DESCRIPTION
NWC-3-1-EH-75	75 GDP Membrane (1812)
NWC-3-1-EH-100	100 GDP Membrane (2012)
NWC-3-1-EH-300	300 GDP Membrane (3012)



VONTRON - MEMBRANES

CODE	DESCRIPTION
NWC-3-1-EV-75	75 GDP Membrane (1812)
NWC-3-1-EV-100	100 GDP Membrane (2012)
NWC-3-1-EV-150	150 GDP Membrane (2012)
NWC-3-1-EV-300	300 GDP Membrane (3012)
NWC-3-1-EV-400	400 GDP Membrane (3012)
NWC-3-1-EV-500	500 GDP Membrane (3012)
NWC-3-1-EV-600	600 GDP Membrane (3012)



EV - MEMBRANES

CODE	DESCRIPTION
NWC-3-1-EE-75	75 GDP Membrane (1812)



CSM - MEMBRANES

CODE	DESCRIPTION
NWC-3-1-EC-80	80 GDP Membrane (1812)
NWC-3-1-EC-200	200 GDP Membrane (2012)
NWC-3-1-EC-490	400 GDP Membrane (2012)



FILMTEC - MEMBRANES

CODE	DESCRIPTION
NWC-3-1-EF-75	75 GDP Membrane (1812)



SPARE PARTS



& ACCESSORIES



Spare Parts & Accessories



BRACKETS - (No Pump)

CODE	DESCRIPTION
NWC-3-RY-BRA-MET-01	Standard Bracket - Filters no Pump
NWC-3-RY-BRA-MET-01M	Manometer Bracket - Filters no Pump



BRACKETS - (With Pump)

CODE	DESCRIPTION
NWC-3-RY-BRA-MET-02	Standard Bracket - Filters with Pump
NWC-3-RY-BRA-MET-02M	Manometer Bracket - Filters with Pump



BRACKETS WITH FRAME - (No Pump)

CODE	DESCRIPTION
NWC-3-RY-BRA-MET-03	Standard Bracket & Frame No Pump
NWC-3-RY-BRA-MET-03M	Manometer Bracket & Frame No Pump



BRACKETS WITH FRAME

CODE	DESCRIPTION
NWC-3-RY-BRA-MET-12300M	HF-12300 Manometer Bracket & Frame



BRACKETS WITH FRAME

CODE	DESCRIPTION
NWC-3-RY-BRA-MET-300M	HF-300 Manometer Bracket & Frame
NWC-3-RY-BRA-MET-400M	HF-400 Manometer Bracket & Frame
NWC-3-RY-BRA-MET-500M	HF-500 Manometer Bracket & Frame

Spare Parts & Accessories

METAL HANGERS

CODE	DESCRIPTION
NWC-5-90-012	Single Metal Hanger
NWC-5-90-014	BIG BLUE Metal Hanger



MANOMETER

CODE	DESCRIPTION
NWC-3-71-003	Manometer 300 GPD



MANOMETER & PARTS

CODE	DESCRIPTION
NWC-3-71-002	Manometer 300 - 400 - 500 GPD



R.O. CONTROL PANEL FOR DIRECT FLOW SYSTEMS

CODE	DESCRIPTION
NWC-RO-CP-DFS	Suitable for ECO Systems
FEATURES	TDS Measurement
	Water Leak Alarm
	Working Status Indicators
	Filter Change Time Alarm
	Auto Flash Washing System

* Produced on customers request.



Spare Parts & Accessories



FLOWLIMIT - JACO

CODE	DESCRIPTION
NWC-3-RY-F-J300-1	Jaco Flow Limit 300 cc
NWC-3-RY-F-J300-2	Jaco Flow Limit 300 cc
NWC-3-RY-F-J300	Jaco Flow Limit 300 cc
NWC-3-RY-F-J420	Jaco Flow Limit 420 cc
NWC-3-RY-F-J550	Jaco Flow Limit 550 cc
NWC-3-RY-F-J800	Jaco Flow Limit 800 cc
NWC-3-RY-F-J1200	Jaco Flow Limit 1200 cc
NWC-3-RY-F-J1600	Jaco Flow Limit 1600 cc
NWC-3-RY-F-J2000	Jaco Flow Limit 2000 cc



FLOWLIMIT - QUICK FLOW

CODE	DESCRIPTION
NWC-3-RY-F-Q300-1	Quick Flow Limit 300 cc
NWC-3-RY-F-Q300-2	Quick Flow Limit 300 cc
NWC-3-RY-F-Q300	Quick Flow Limit 300 cc
NWC-3-RY-F-Q420	Quick Flow Limit 420 cc
NWC-3-RY-F-Q450	Quick Flow Limit 450 cc
NWC-3-RY-F-Q450-2	Quick Flow Limit 450 cc
NWC-3-RY-F-Q550	Quick Flow Limit 550 cc
NWC-3-RY-F-Q800	Quick Flow Limit 800 cc
NWC-3-RY-F-Q1200	Quick Flow Limit 1200 cc
NWC-3-RY-F-Q1500-2	Quick Flow Limit 1500 cc
NWC-3-RY-F-Q1600	Quick Flow Limit 1600 cc
NWC-3-RY-F-Q2000	Quick Flow Limit 2000 cc

NSF

NSF

NSF



FLOWLIMIT - INTERNAL HOSE FLOW

CODE	DESCRIPTION
NWC-3-RY-F-HI-330	Internal Hose Flow Flow Limit 300 cc
NWC-3-RY-F-HI-420	Internal Hose Flow Flow Limit 420 cc
NWC-3-RY-F-HI-550	Internal Hose Flow Flow Limit 550 cc



FLOWLIMIT - SHUT-OFF VALVE

CODE	DESCRIPTION
NWC-3-RY-SYA-1	YBS, ABS, Shut-Off Valve



Spare Parts & Accessories

SHUT-OFF VALVES

CODE	DESCRIPTION
NWC-3-RY-SOV-Q02-1	Quick Shut-Off Valve 1/4"
NWC-3-RY-SOV-Q02-2	Quick Shut-Off Valve 1/4"
NWC-3-RY-SOV-Q02	Quick Shut-Off Valve 1/4"
NWC-3-RY-SOV-Q03	Quick Shut-Off Valve 8/10"
NWC-3-RY-SOV-J02	Jaco Shut-Off Valve 1/4"
NWC-3-RY-SOV-J03	Jaco Shut-Off Valve 8/10"

NSF



PRESSURE SWITCH

CODE	DESCRIPTION
NWC-3-RY-DBS-Q-1	Quick Low Pressure Switch
NWC-3-RY-YBS-Q-1	Quick High Pressure Switch
NWC-3-RY-DBS-Q-J	Jaco Low Pressure Switch
NWC-3-RY-YBS-Q-J	Jaco High Pressure Switch
NWC-3-RY-DBS-Q	Quick Low Pressure Switch
NWC-3-RY-YBS-Q	Quick High Pressure Switch

NSF

NSF



CABLE SWITCH

CODE	DESCRIPTION
NWC-RY-SK-01	Switch Cable (ABS, YBS - connector)
NWC-RY-SK-02	Switch Cable (for open devices)
NWC-RY-SK-03	Switch Cable (for closed devices)



ABS, YBS - connector



For open devices



For closed devices

Spare Parts & Accessories



NSF

NSF

NSF

R.O. HOSES

CODE	DESCRIPTION
NWC-3-RY-HOR-02-1	R.O. Hose 4/6 - metre
NWC-3-RY-HOR-02-1	R.O. Hose 4/6 - 300mt./top
NWC-3-RY-HOR-02-B	R.O. Hose 4/6 - metre
NWC-3-RY-HOR-02-B	R.O. Hose 4/6 - 300mt./top
NWC-3-RY-HOR-03-B	R.O. Hose 8/10 - metre
NWC-3-RY-HOR-03-B	R.O. Hose 8/10 - 150mt./top
NWC-3-RY-HOR-04-B	R.O. Hose 10/12 - metre
NWC-3-RY-HOR-04-B	R.O. Hose 10/12 - 150mt./top



R.O. HOSE CUTTING SHEARS

CODE	
NWC-3-RY-HOR-HKM	Hose Cutting Shears



R.O. WATER LEAK BREAKERS

CODE	DESCRIPTION
NWC-3-RY-EV-12	Water Leak Breaker Valve - 1/2"
NWC-3-RY-EV-34	Water Leak Breaker Valve - 3/4"
NWC-3-RY-EV-14	Water Leak Breaker Valve - 1/4"
NWC-3-RY-EV-32	Water Leak Breaker Valve - 1"



R.O. WATER LEAKAGE APPARATUS

CODE	DESCRIPTION
NWC-3-RY-SKA-4	Water Leak Apparatus - Pads



R.O. WATER LEAKAGE APPARATUS

CODE	DESCRIPTION
NWC-3-RY-SKA-3	Water Leak Apparatus - ???



R.O. WATER LEAKAGE APPARATUS

CODE	DESCRIPTION
NWC-3-RY-SKA-2	Water Leakage Adapter Pad

Connectors and Valves

R.O. MINI BALL VALVES

CODE	DESCRIPTION
NWC-RY-MV-02-J	Mini Ball Valve 1/4"
NWC-RY-MV-03-J	Ball Valve 3/8"



R.O. PLASTIC VALVES

CODE	DESCRIPTION
NWC-3-RY-QPV-0202-1	Quick Plastic Valve 4/6 - 4/6"
NWC-3-RY-QPV-0202	Quick Plastic Valve 4/6 - 4/6"
NWC-3-RY-QPV-0202-2	Quick Plastic Valve 4/6 - 4/6"
NWC-3-RY-QPV-0303-1	Quick Plastic Valve 8/10 - 8/10"
NWC-3-RY-QPV-0303	Quick Plastic Valve 8/10 - 8/10"



R.O. ADJUSTABLE VALVE

CODE	DESCRIPTION
NWC-3-RY-QPV0202-1	Adjustable Valve 4/6 - 4/6"



R.O. PIPE FITTINGS - ADAPTORS & EXTENSIONS

CODE	DESCRIPTION
NWC-3-RY-HAP-38	Pipe Fitting - Adaptors 3/8" - 1/4" - 3/8"
NWC-3-RY-HAP-12	Pipe Fitting - Adaptors 1/2" - 1/4" - 1/2"
NWC-3-RY-HAP-34	Pipe Fitting - Adaptors 3/4" - 1/4" - 3/4"
NWC-3-RY-HAP-34-1	Pipe Fitting - Extension 3/4" - 3/4"



R.O. ADJUSTABLE VALVE

CODE	DESCRIPTION
NWC-3-RY-HAP-12	Plastic Pipe Fitting - Adaptors 1/2" - 4/6" - 1/2"



R.O. PLASTIC VALVES

CODE	DESCRIPTION
NWC-3-RY-HAV-P-12	Plastic Valve Line - Adaptor 1/2" - 4/6" - 1/2"
NWC-3-RY-HAV-P-12-8/10	Plastic Valve Line - Adaptor 1/2" - 8/10" - 1/2"
NWC-3-RY-HAV-M-38	Plastic Valve Line - Adaptor 3/8" - 1/4" - 3/8" *
NWC-3-RY-HAV-M-12	Plastic Valve Line - Adaptor 1/2" - 1/4" - 1/2" *

* metal washers



Pressure Regulators



ADJUSTABLE PLASTIC PRESSURE REDUCER

CODE	DESCRIPTION
NWC-3-RY-BD-PLS-14	4/6" Adjustable Plastic Pressure Reducer
NWC-3-RY-BD-PLS-14-2	4/6" Adjustable Plastic Pressure Reducer
NWC-3-RY-BD-PLS-38	4/6" Adjustable Plastic Pressure Reducer



ADJUSTABLE PLASTIC PRESSURE REDUCER

CODE	DESCRIPTION
NWC-3-RY-BD-PLS-6514	4/6" Plastic Pressure Reducer
NWC-3-RY-BD-PLS-6538	8/10" Plastic Pressure Reducer



ADJUSTABLE PLASTIC PRESSURE REDUCER

CODE	DESCRIPTION
NWC-3-RY-BD-PLS-6014	4/6" Plastic Pressure Reducer 60 PSI
NWC-3-RY-BD-PLS-7014	4/6" Plastic Pressure Reducer 70 PSI
NWC-3-RY-BD-PLS-6038	8/10" Plastic Pressure Reducer 60 PSI
NWC-3-RY-BD-PLS-7038	8/10" Plastic Pressure Reducer 70 PSI



ADJUSTABLE PLASTIC PRESSURE REDUCER

CODE	DESCRIPTION
NWC-3-RY-BD-PLS-14K	4/6" Plastic Pressure Reducer (Korea)



METAL PRESSURE REDUCER

CODE	DESCRIPTION
NWC-3-RY-BD-MET-1/4"	4/6" Metal Pressure Reducer
NWC-3-RY-BD-MET-1/4"-Q	4/6" Metal Pressure Reducer - QUICK
NWC-3-RY-BD-MET-1/2"	4/6" Metal Pressure Reducer



SELENOID VALVES

CODE	DESCRIPTION
NWC-3-RY-SNV-24	4/6" 24 VDCF01 Plastic
NWC-3-RY-SNV-24-1	8/10" 24 V Flowline DCF02 Plastic
NWC-3-RY-SNV-24P	24 - Plastic

Adaptors, Clamps & Tape

R.O. FAUCET ADAPTORS

CODE	DESCRIPTION
NWC-3-RY-MUS-MA02	Single Faucet Adaptor
NWC-3-RY-MUS-MA01	Double Faucet Adaptor



R.O. FAUCET ADAPTORS

CODE	DESCRIPTION
NWC-3-RY-MUS-MA03	Plastic Faucet Adaptor



DOUBLE CLAMPS

CODE	DESCRIPTION
NWC-3-RY-KEL-2 x 2	2" - 2" clamps
NWC-3-RY-KEL-2.5 x 2-1	2 1/2" - 2" clamps
NWC-3-RY-KEL-2.5 x 2	2 1/2" - 2" clamps
NWC-3-RY-KEL-2.5 x 2	2 1/2" - 2" clamps
NWC-3-RY-KEL-2.5 x 2.5	2 1/2" - 2 1/2" clamps
NWC-3-RY-KEL-2.5 x 2.5	2 1/2" - 2 1/2" clamps



SINGLE CLAMPS

CODE	DESCRIPTION
NWC-3-RY-KEL-2	2" clamps
NWC-3-RY-KEL-2.5	2 1/2" clamps
NWC-3-RY-KEL-30 x 12	30 x 12 clamps



TEFLON TAPE

CODE	DESCRIPTION
9-9-204	Teflon Tape





Reverse Osmosis



more choices for you



Metal Tanks



PA-E TANKS

CODE	DESCRIPTION
NWC-3-RY-TPAE - 2	Metal Tank 2 gallons
NWC-3-RY-TPAE - 2.2	Metal Tank 2.2 gallons
NWC-3-RY-TPAE - 3.2	Metal Tank 3.2 gallons
NWC-3-RY-TPAE - 5.2	Metal Tank 5.2 gallons



PA-E TANKS

CODE	DESCRIPTION
NWC-3-RY-TPAE - 10.7	Metal Tank 10.7 gallons - 1/4"
NWC-3-RY-TPAE - 10.7-1	Metal Tank 10.7 gallons - 1"



PA-E TANKS

CODE	DESCRIPTION
NWC-3-RY-TPAE - 20	Metal Tank 20 gallons
NWC-3-RY-TPAE - 28	Metal Tank 28 gallons
NWC-3-RY-TPAE - 40	Metal Tank 40 gallons



TANK VALVES

CODE	DESCRIPTION
NWC-3-RY-TV - 02	Metal Tank 10.7 gallons - 1/4"
NWC-3-RY-TV - 03	Metal Tank 10.7 gallons - 1"



TANK BASE & FUNNEL CONNECTION

CODE	DESCRIPTION
NWC-3-RY-TANK - B10	Tank Base 10.7 gallons
NWC-3-RY-TPAE=YED- 20-1	Funnel connection 20 gallons

R.O. Plastic Tanks

PLASTIC TANK

CODE	DESCRIPTION
NWC-3-RY-TPLS - 8	Plastic Tank 3.2 gallons (8 L.)
NWC-3-RY-TPLS - 12	Plastic Tank 4 gallons (12 L.)



SQUARE PLASTIC TANK

NWC-3-RY-TPLS-WT-5

CAPACITY OF TANK	6.7 L.
WEIGHT - EMPTY	2160 g
MAXIMUM PRESSURE	4 bar
MAXIMUM WATER PRESSURE CAPACITY	4.7 L.
SIZES	Product Dimension: 12 x 37 x 36.5 cm Box Dimension: 13 x 38 x 37.5 cm

The tank operates with natural air pressure. To avoid pressure loss it should be fixed in a vertical position.

To avoid losing the natural air in your tank, do not empty it to the end. It is recommended to replenish water at frequent intervals.

Your tank is designed for a maximum pressure of 4 bar.

According to your local water pressure this will increase or decrease the tanks' water pressure.

In case of any pressure loss, remove the lower discharge screw and drain the water from the inside and let the system fill with air. Replace the screw, now your tank will automatically reach its' original pressure.

Do not expose the tank to sunlight.

With proper use, your warehouse will serve you for many years.



R.O. Pumps & Spare Parts



R.O. PUMPS

CODE	DESCRIPTION
NWC-3-RY-P-75-MINI-Q	75 GPD Mini Pump
NWC-3-RY-P-75-MIDI-Q	75 GPD Midi Pump
NWC-3-RY-P-75	75 GPD Pump
NWC-3-RY-P-75-Q	75 GPD Pump - Quick



R.O. PUMPS - LF SERIES

CODE	DESCRIPTION
NWC-3-RY-P-50LF	75 GPD Mini Pump
NWC-3-RY-P-50LF-MIDI	75 GPD Midi Pump
NWC-3-RY-P-50LF	75 GPD Pump
NWC-3-RY-P-50LF-Q	75 GPD Pump - Quick



DIRECT FLOW PUMPS

CODE	DESCRIPTION
NWC-3-RY-P-300	300 GPD Pump
NWC-3-RY-P-400	400 GPD Pump
NWC-3-RY-P-500	500 GPD Pump*

* ALSO available 24V-5A and 36V-5A



R.O. PUMP HEADS

CODE	DESCRIPTION
NWC-3-RY-KA75	75 GPD Pump Head
NWC-3-RY-KA75 LF	75 GPD Pump Head - LF Series - Mini
NWC-3-RY-KA75 LFP	75 GPD Pump Head - LF Series - Midi
NWC-3-RY-KA75 LFP-J	75 GPD Pump Head - LF Series
NWC-3-RY-KA3	300 GPD Pump Head
NWC-3-RY-KA4	400 GPD Pump Head
NWC-3-RY-KA5	500 GPD Pump Head

R.O. Pumps & Adaptors

R.O. PUMP ADAPTORS

CODE	DESCRIPTION
NWC-3-RY-PA-E24V-A	Electronic - 24V - Open Device



R.O. PUMP ADAPTORS

CODE	DESCRIPTION
NWC-3-RY-PA-E24V-K	Electronic - 24V - Boxed Device



R.O. PUMP ADAPTORS

CODE	DESCRIPTION
NWC-3-RY-PA-M24V-A	Mechanical - 24V - Open Device
NWC-3-RY-PA-M24V-K	Mechanical - 24V - Boxed Device



R.O. PUMP ADAPTORS

CODE	DESCRIPTION
NWC-3-RY-PA-H30	300 GPD 30V "Headon"



R.O. PUMP ADAPTORS

CODE	DESCRIPTION
NWC-3-RY-PA-24V3A	300 GPD - 24V 3A
NWC-3-RY-PA-24V5A-1	400 GPD - 24V 5A
NWC-3-RY-PA-36V5A	500 GPD - 24V 5A



R.O. PUMP DIAPHRAGMS

CODE	DESCRIPTION
NWC-3-RY-P-YED-002	Pump Diaphragm
NWC-3-RY-P-KA75D-1	Pump Diaphragm - "Headon"
NWC-3-RY-P-KAD3-4	Pump Diaphragms 300-400 GPD
NWC-3-RY-P-KAD5	Pump Diaphragm 500 GPD



R.O. Faucets



CODE

NWC-3-RY-MUS-KNK

DESCRIPTION

Conical Faucet



CODE

NWC-3-RY-MUS-LKNK

DESCRIPTION

Luxury Conical Faucet



CODE

NWC-3-RY-MUS-HFT

DESCRIPTION

Luxury HFT Faucet



CODE

NWC-3-RY-MUS-LKARE

DESCRIPTION

Luxury Square Faucet



CODE

NWC-3-RY-MUS-KUGU

DESCRIPTION

Swan Faucet



CODE

NWC-3-RY-MUS-LKUGU

DESCRIPTION

Luxury Swan Faucet



CODE

NWC-3-RY-MUS-LUX

DESCRIPTION

Luxury Faucet



CODE

NWC-3-RY-MUS-Y

NWC-3-RY-MUS-LY

DESCRIPTION

Star Faucet

Luxury Star Faucet

R.O. Faucets



CODE

NWC-3-RY-MUS-020-07*

DESCRIPTION

Triple Set Special Washbasin Faucet

*Manufactured in Taiwan



CODE

NWC-3-RY-MUS-LM

DESCRIPTION

Triple Set Luxury Washbasin Faucet



CODE

NWC-3-RY-MUS-3301

DESCRIPTION

Triple Set Washbasin Faucet
Modern Head



CODE

NWC-3-RY-MUS-LM-1

DESCRIPTION

Triple Set Washbasin Faucet



CODE

NWC-3-RY-MUS-3304

DESCRIPTION

Triple Set Washbasin Faucet



SPECIAL SERIES

CODE

NWC-3-RY-MUS-DAB

DESCRIPTION

Drinking Fountain Faucet



Reverse Osmosis



Quick Fittings & Connectors



NSF Quick Fittings



THREADED-TO-TUBE ELBOW CONNECTORS - QUICK

	CODE	DESCRIPTION
NSF	NWC-3-RF-Q4044-1	Quick 1/4" 4/6 Threaded Elbow Connector - 6mm
	NWC-3-RF-Q4044	Quick 1/4" 4/6 Threaded Elbow Connector - 6mm
NSF	NWC-3-RF-Q4042-1	Quick 1/8" 4/6 Threaded Elbow Connector - 6mm
	NWC-3-RF-Q4042	Quick 1/8" 4/6 Threaded Elbow Connector - 6mm
NSF	NWC-3-RF-Q4046-1	Quick 3/8" 4/6 Threaded Elbow Connector - 6mm
	NWC-3-RF-Q4046	Quick 3/8" 4/6 Threaded Elbow Connector - 6mm
NSF	NWC-3-RF-Q4064-1	Quick 1/4" 8/10 Threaded Elbow Connector - 10mm
	NWC-3-RF-Q4064	Quick 1/4" 8/10 Threaded Elbow Connector - 10mm
NSF	NWC-3-RF-Q4068-1	Quick 1/2" 8/10 Threaded Elbow Connector - 10mm
	NWC-3-RF-Q4066-1	Quick 3/8" 8/10 Threaded Elbow Connector - 10mm
NSF	NWC-3-RF-Q4066	Quick 3/8" 8/10 Threaded Elbow Connector - 10mm
	NWC-3-RF-Q4086	Quick 3/8" 10/12 Threaded Elbow Connector - 12mm



ELBOW CONNECTORS - QUICK

	CODE	DESCRIPTION
NSF	NWC-3-RF-Q5044-1	Quick 1/4" 4/6 Elbow Connector - 6 mm
	NWC-3-RF-Q5044	Quick 1/4" 4/6 Elbow Connector - 6 mm
NSF	NWC-3-RF-Q5066-1	Quick 1/8" 4/6 Elbow Connector - 10 mm
	NWC-3-RF-Q5066	Quick 1/8" 4/6 Elbow Connector - 10 mm
NSF	NWC-3-RF-Q5064-1	Quick 3/8" 4/6 Elbow Connector - 10 mm
	NWC-3-RF-Q5064	Quick 3/8" 4/6 Elbow Connector - 10 mm



ROD ELBOW CONNECTORS - QUICK

	CODE	DESCRIPTION
NSF	NWC-3-RF-QSE4044-1	Quick Rod Elbow Connector - 6 mm
	NWC-3-RF-QSE4044	Quick Rod Elbow Connector - 6 mm
	NWC-3-RF-QSE4064-1	Quick Rod Elbow Connector - 10 - 4 mm
	NWC-3-RF-QSE5066-1	Quick Rod Elbow Connector - 10 - 10 mm



INTERNAL THREADED ELBOW CONNECTORS - QUICK

	CODE	DESCRIPTION
NSF	NWC-3-RF-Q4544-1	Quick Internal Threaded Elbow 1/4"- 6 mm
	NWC-3-RF-Q4544	Quick Internal Threaded Elbow 1/4"- 6 mm

NSF Quick T & Y Connectors

T CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-Q7044-1	Quick T 4/6 4/6 4/6
NWC-3-RF-Q7044	Quick T 4/6 4/6 4/6
NWC-3-RF-Q7046-1	Quick T 4/6 8/10 4/6
NWC-3-RF-Q7046	Quick T 4/6 8/10 4/6
NWC-3-RF-Q7064-1	Quick T 8/10 4/6 8/10
NWC-3-RF-Q7064	Quick T 8/10 4/6 8/10
NWC-3-RF-Q7066-1	Quick T 8/10 8/10 8/10
NWC-3-RF-Q7066	Quick T 8/10 8/10 8/10

NSF

NSF

NSF

NSF



T CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-Q7044-1	Quick T 1/4" 4/6 4/6
NWC-3-RF-Q7044	Quick T 1/4" 4/6 4/6
NWC-3-RF-Q6046-1	Quick T 4/6 8/10 8/10
NWC-3-RF-Q7644	Quick T 1/4" 4/6 8/10

NSF

NSF



T SPLITTERS - QUICK T

CODE	DESCRIPTION
NWC-3-RF-Q6044-1	Quick T Teeth 1/4" 4/6 4/6
NWC-3-RF-Q606 6-1	Quick T Teeth 8/10 3/8 8/10



T-SHAPED CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-QSBT6044-1	Quick T 1/4" 4/6 4/6
NWC-3-RF-QSBT6044	Quick T 1/4" 4/6 4/6



T-SHAPED CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-QSRT7544-1	Quick T 4/6 4/6 4/6
NWC-3-RF-QSRT7566	Quick T 8/10 8/10 8/10

NSF



Y-SHAPED CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-YE0404-1	Quick Y 4/6 4/6 4/6
NWC-3-RF-YE0404	Quick Y 4/6 4/6 4/6
NWC-3-RF-YE0606-1	Quick Y 8/10 8/10 8/10

NSF



NSF Quick Fittings



NSF

CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-Q1044	Quick Connector 1/4" 4/6
NWC-3-RF-Q1044-1	Quick Connector 1/4" 4/6
NWC-3-RF-Q1064	Quick Connector 1/4" 8/10
NWC-3-RF-Q1064-1	Quick Connector 1/4" 8/10
NWC-3-RF-Q1042	Quick Connector 1/8" 4/6
NWC-3-RF-Q1066	Quick Connector 3/8" 8/10
NWC-3-RF-Q1066-1	Quick Connector 3/8" 8/10
NWC-3-RF-Q1046	Quick Connector 3/8" 4/6
NWC-3-RF-Q1046-1	Quick Connector 3/8" 4/6
NWC-3-RF-Q1068-1	Quick Connector 1/2" 8/10
NWC-3-RF-Q1068	Quick Connector 1/2" 8/10
NWC-3-RF-Q1086	Quick Connector 3/8" 10/12



NSF

CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-Q2544-2	Quick Connector 4/6 ID (For Faucets)
NWC-3-RF-Q22256-716	Quick Connector 4/6 ID (For Faucets)
NWC-3-RF-Q22256-716-8/10	Quick Connector 8/10 ID (For Faucets)
NWC-3-RF-Q2544	Quick Connector 1/4" 4/6 ID
NWC-3-RF-Q2568	Quick Connector 1/2" 8/10 ID



NSF

CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-QSA0404	Quick Connector 1/4" 4/6 ID Rod



NSF

CHECK ELBOW VALVES - QUICK

CODE	DESCRIPTION
NWC-3-RF-QCD-CN4/6	Quick Check Elbow Valves 4/6 4/6
NWC-3-RF-QCD-CN1/4	Quick Check Elbow Valves 1/4" 4/6
NWC-3-RF-QCD-CN18-1	Quick Check Elbow Valves 1/8" 4/6
NWC-3-RF-QCD-CN18	Quick Check Elbow Valves 1/8" 4/6



NSF

VALVE SLEEVES

CODE	DESCRIPTION
NWC-3-RY-MQ0202-1	Check Valve Sleeve 4/6 4/6
NWC-3-RY-MQ0202	Check Valve Sleeve 4/6 4/6
NWC-3-RY-MQ0303-1	Check Valve Sleeve 8/10 8/10
NWC-3-RY-MQ0303	Check Valve Sleeve 8/10 8/10

NSF Quick Connections

CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-Q2044-1	Quick Connector 4/6 4/6
NWC-3-RF-Q2044	Quick Connector 4/6 4/6
NWC-3-RF-Q2066	Quick Connector 8/10 8/10
NWC-3-RF-Q2042-2-KT	Quick Blind Cap Connector



SLEEVE MUFF CONNECTORS - QUICK

CODE	DESCRIPTION
NWC-3-RF-Q1544-1	Quick Muff Connector 4/6 4/6
NWC-3-RF-Q1544	Quick Muff Connector 4/6 4/6
NWC-3-RF-Q1564-1	Quick Muff Connector 4/6 8/10
NWC-3-RF-Q1564	Quick Muff Connector 4/6 8/10
NWC-3-RF-Q1566	Quick Muff Connector 8/10 8/10



CLIPS - QUICK

CODE	DESCRIPTION
NWC-3-RF-QCL04	Quick Clips 4/6
NWC-3-RF-QCL06	Quick Clips 8/10



DISASSEMBLY KEY - QUICK

CODE	DESCRIPTION
NWC-3-RF-Q001	Quick Clip Disassembly Key



NUTS

CODE	DESCRIPTION
NWC-3-RY-J001	Nut 1/4
NWC-3-RY-J001-2	Nut 1/4
NWC-3-RY-J002	Nut 3/8



JACO Fittings



CONNECTORS - JACO

CODE	DESCRIPTION
NWC-3-RF-J4042	Jaco Threaded Elbow Connector (MDK filter)
NWC-3-RF-J4044	Jaco Threaded Elbow Connector (filter)
NWC-3-RF-J4044	Jaco Connector 4/6 4/6
NWC-3-RF-J4046	Jaco Threaded Elbow Connector 3/8" 4/6 (pump)
NWC-3-RF-J4064	Jaco Connector 1/4" 8/10
NWC-3-RF-J4066	Jaco Connector 3/8" 8/10
NWC-3-RF-J4084	Jaco Connector 1/2" 4/10
NWC-3-RF-J5066	Jaco Connector 8/10 8/106

DISASSEMBLY KEY - QUICK

CODE	DESCRIPTION
NWC-3-RF-JCD-1/8	Jaco Check Valve Elbow Connector 1/8" 4/6

CONNECTOR - JACO

CODE	DESCRIPTION
NWC-3-RF-J4544	Jaco Internal Thread Elbow Connector 1/4" 4/6 (tank)

T - CONNECTORS - JACO

CODE	DESCRIPTION
NWC-3-RF-J7544	Jaco T Connector 1/4 4/6 4/6
NWC-3-RF-J6044	Jaco T Connector 4/6 1/4 4/6
NWC-3-RF-J7044	Jaco T Connector 4/6 4/6 4/6
NWC-3-RF-J7564	Jaco T Connector 1/4 8/10 8/10
NWC-3-RF-J6064	Jaco T Connector 8/10 1/4 8/10
NWC-3-RF-J7066	Jaco T Connector 8/10 8/10 8/10
NWC-3-RF-J60661	Jaco T Connector 8/10 3/8 8/10
NWC-3-RF-J76064	Jaco T Connector 1/4 4/6 8/10

STRAIGHT CONNECTORS - JACO

CODE	DESCRIPTION
NWC-3-RF-J1044	Jaco Straight Connector 1/4 4/6
NWC-3-RF-J2544	Jaco Straight Connector 1/4 ID 4/6
NWC-3-RF-J1064	Jaco Straight Connector 1/4 8/10
NWC-3-RF-J1044	Jaco Straight Connector 3/8 4/6
NWC-3-RF-J1066	Jaco Straight Connector 3/8 8/10
NWC-3-RF-J1068	Jaco Straight Connector 1/2 8/10

JACO Fittings

CONNECTOR - JACO

CODE	DESCRIPTION
NWC-3-RF-J4544	Jaco Muff Connector 4/6 4/6



NIPPLE CONNECTORS - JACO

CODE	DESCRIPTION
NWC-3-RF-NIP-04	Jaco Nipple Connector 1/4
NWC-3-RF-NIP-06	Jaco Nipple Connector 3/8
NWC-3-RF-NIP-08	Jaco Nipple Connector 1/2
NWC-3-RF-NIP-12	Jaco Nipple Connector 3/4
NWC-3-RF-NIP-32	Jaco Nipple Connector 1"



CONNECTORS - JACO

CODE	DESCRIPTION
NWC-3-RF-J2044-1	Jaco Connector 4/6 4/6 - Cantilevered



CONNECTORS - JACO

CODE	DESCRIPTION
NWC-3-RF-J2044	Jaco Connector 4/6 4/6
NWC-3-RF-J2066	Jaco Connector 8/10 8/10



HOSE FERRULE - JACO

CODE	DESCRIPTION
NWC-3-RY-HOR-02	Jaco Hose Ferrule 4/6



R.O. Faucet Accessories



CODE

NWC-3-RY-MUS-Y-SC

DESCRIPTION

Silicon Faucet Seal



CODE

NWC-3-RY-MUS-YED-UZ8

DESCRIPTION

Faucet Extension - 8 cm



CODE

NWC-3-RY-MUS-Y-001

DESCRIPTION

Faucet Fitting Crimping Adaptor



CODE

NWC-3-RY-MUS-BMS02

DESCRIPTION

BMS Faucet Adapter



CODE

NWC-3-RY-MUS-BMS01

DESCRIPTION

BMS Stainless Faucet Head



CODE

NWC-3-RY-MUS-Y-LS

DESCRIPTION

Faucet Mould




CODE

NWC-3-RY-MUS-TAS-Y

DESCRIPTION

Aerator Water Saving Filter



← 8 ADJUSTABLE FUNCTIONS

← ANTI-CALCIUM MAGNETIC BALLS

← IONIZER - FOR SOFT & SHINY HAIR
KDF - HEAVY METAL & CHLORINE TREATMENT

CODE

NWC-6-08-001-1

DESCRIPTION

Shower Head Filter

Measuring Devices



CODE

NWC-3-RY-TEST-TDS

DESCRIPTION

TDS Pen



CODE

NWC-3-RY-TEST-TDS-WP

DESCRIPTION

TDS Pen - Pink



CODE

NWC-3-RY-TEST-TDS-000

DESCRIPTION

TDS Pen



CODE

NWC-3-RY-TEST-TDS

DESCRIPTION

PH Meter

CODE

NWC-3-RY-TEST-SK

DESCRIPTION

Full Service Kit



CODE

NWC-3-RY-TEST-E01

DESCRIPTION

Electrolysis Test



CODE

NWC-3-RY-TEST-E012

DESCRIPTION

C.C.K. Electrolysis Test

Hydrolight 0.2 UV Systems

SYSTEM 1



* Compatible for all R.O. Devices

CODE

NWC-4-0-UV-SIS-0.2P

DESCRIPTION

Hydrolight 0.2 UV System - 1 (6W)

SYSTEM 2



CODE

NWC-4-0-UV-SIS-0.2-6

DESCRIPTION

Hydrolight 0.2 UV System - 2 (6W)